

Package: tidyedgar (via r-universe)

September 12, 2024

Title Tidy Fundamental Financial Data from 'SEC's 'EDGAR' 'API'

Version 1.0.2

Description Streamline the process of accessing fundamental financial data from the United States Securities and Exchange Commission's ('SEC') Electronic Data Gathering, Analysis, and Retrieval system ('EDGAR') 'API' [<https://www.sec.gov/edgar/sec-api-documentation>](https://www.sec.gov/edgar/sec-api-documentation), transforming it into a tidy, analysis-ready format.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Imports dplyr, jsonlite, parallel, tidyr, http

URL <https://gerardgimenezadsuar.github.io/tidyedgar/>

Repository <https://gerardgimenezadsuar.r-universe.dev>

RemoteUrl <https://github.com/gerardgimenezadsuar/tidyedgar>

RemoteRef HEAD

RemoteSha 559535a345b48bc9c440098f9f80c1ff220dcf9c

Contents

get_qdata	2
get_ydata	2
prepare_data	3
retrieve_data	4
safe_max	5
yearly_data	5

Index	6
--------------	----------

`get_qdata`*Getting quarterly data from all public companies from EDGAR*

Description

Getting quarterly data from all public companies from EDGAR

Usage

```
get_qdata(  
  account = "Revenues",  
  years = 2020:2023,  
  quarters = c("Q3"),  
  max_cores = TRUE  
)
```

Arguments

<code>account</code>	A string representing the account (eg NetIncomeLoss, Revenues, OperatingIncomeLoss, ...)
<code>years</code>	A sequence of numeric values representing the years.
<code>quarters</code>	A string representing the quarter.
<code>max_cores</code>	Boolean limiting the number of cores to 1.

Value

A dataframe

Examples

```
get_qdata(account = "NetIncomeLoss", years = 2022:2023, quarters = c("Q4"))
```

`get_ydata`*Getting yearly data from all public companies from EDGAR*

Description

Getting yearly data from all public companies from EDGAR

Usage

```
get_ydata(account = "Revenues", years = 2020:2023, ...)
```

Arguments

account	A string representing the account (eg NetIncomeLoss, Revenues, OperatingIncomeLoss, ...)
years	A sequence of numeric values representing the years.
...	Additional variables to use custom taxonomies or units for data retrieval.

Value

A dataframe

Examples

```
get_ydata(account = "NetIncomeLoss", years = 2022:2023)
```

```
prepare_data
```

Data wrangling for tidy fundamental data from EDGAR

Description

Data wrangling for tidy fundamental data from EDGAR

Usage

```
prepare_data(df = NULL, quarterly = TRUE, ...)
```

Arguments

df	A dataframe, output from get_qdata() or get_ydata().
quarterly	Boolean indicating if quarterly data is present.
...	Additional dataframes to be combined from other accounts (NetIncomeLoss, OperatingIncomeLoss, etc).

Value

A dataframe

Examples

```
revenue <- data.frame(
  taxonomy = rep("us-gaap", 3),
  tag = rep("Revenues", 3),
  ccp = rep("CY2020", 3),
  uom = rep("USD", 3),
  label = rep("Revenues", 3),
  description = rep("Amount of revenue recognized from goods sold, services rendered, ...", 3),
  pts = rep(2762, 3),
  data.accn = c("0001564590-22-012597", "0000002178-23-000038", "0001654954-22-005679"),
```

```

data.cik = c(2098, 2178, 2186),
data.entityName = c("ACME CORP", "ADAMS RESOURCES, INC.", "BK TECHNOLOGIES"),
data.loc = c("US-CT", "US-TX", "US-FL"),
data.start = rep("2020-01-01", 3),
data.end = rep("2020-12-31", 3),
data.val = c(164003040, 1022422000, 44139000),
year = rep(2020, 3)
netincome <- data.frame(
  taxonomy = rep("us-gaap", 3),
  tag = rep("NetIncomeLoss", 3),
  ccp = rep("CY2020", 3),
  uom = rep("USD", 3),
  label = rep("NetIncomeLoss", 3),
  description = rep("Net Income from operating activities", 3),
  pts = rep(2762, 3),
  data.accn = c("0001564590-22-012597", "0000002178-23-000038", "0001654954-22-005679"),
  data.cik = c(2098, 2178, 2186),
  data.entityName = c("ACME CORP", "ADAMS RESOURCES, INC.", "BK TECHNOLOGIES"),
  data.loc = c("US-CT", "US-TX", "US-FL"),
  data.start = rep("2020-01-01", 3),
  data.end = rep("2020-12-31", 3),
  data.val = c(100000, 200000, 4000000),
  year = rep(2020, 3)
)
prepare_data(revenue, netincome, quarterly = FALSE)

```

```
retrieve_data
```

```
Helper function for quarterly financial data retrieval
```

Description

Helper function for quarterly financial data retrieval

Usage

```
retrieve_data(account, year, quarter, taxonomy = "us-gaap", unit = "USD")
```

Arguments

account	A string representing the account.
year	A numeric value representing the year.
quarter	A string representing the quarter.
taxonomy	A string representing the taxonomy.
unit	A string representing the units.

Value

A dataframe

safe_max	<i>Safely calculating the max.</i>
----------	------------------------------------

Description

Safely calculating the max.

Usage

```
safe_max(x, na.rm = FALSE)
```

Arguments

x	A number.
na.rm	Boolean.

Value

A number.

yearly_data	<i>Getting a summary with the basic financials for all companies</i>
-------------	--

Description

Getting a summary with the basic financials for all companies

Usage

```
yearly_data(years = 2020:2023)
```

Arguments

years	A sequence of numeric values representing the years.
-------	--

Value

A dataframe

Examples

```
yearly_data(years = 2022:2023)
```

Index

`get_qdata`, 2

`get_ydata`, 2

`prepare_data`, 3

`retrieve_data`, 4

`safe_max`, 5

`yearly_data`, 5